UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK NUNAVUT NOVA SCOTIA YUKON PRINCE EDWARD ISLAND NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Swagplok Company	
Swagetok Company	
29500 Solon Road, Solon, Ohio 4413	9-3492
PLANT LOCATIONS: Headquarters: 29500 Solon Road, Solon, Ohio CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CAT	44139-3492 (See Attachment A) EGORY ONLY TITLE OF THE STANDARD OF CONSTRUCTION
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or B Flanges: all flanges © Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, lev pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pre boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 □ Class 2 □ Class 3 □, (Meeting AECB or A	ASME B31.3 where applicable for Unlisted Components rets, or ssure protection on
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPE	AR ON THE PRODUCT TYPE OF CONSTRUCTION
Swagelok	FORGED (1) WELDED (1) WROUGHT (2) CAST (1) OTHER (1) DESCRIBE OTHER:
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE AC	TUAL ITEMS TO BE REGISTERED:
esponsibility for the quality of the end product do solemnly declare that the ny knowledge represents the product for which registration is sought. The emperature ratings, and identification markings are in accordance with the nanufacture of these fittings is regulated by a Quality Control Program who in part and has been verified by The British Standards Institution declaration conscientiously believing it to be true, and knowing that it is on Signature of Declarer: Declared before me at This	the dimensions, materials of construction, pressure the herein named standards. I further declare that the nich extends to each plant where fabrication occurs in whole as being suitable for that purpose and I make this solemn if the same force and effect as if made under paths of the same force and effect as if made under paths. THIS SPACE BOOKETHE CONTROLLED TO F Kestdent Summit Country Hotary Public, State of Unio
or Notary Public: (sign) You U. Darren (Affix Official seal to the right)	My Commission Expires: 04/13/2020
This space for Regulatory This registration must be revalidated after ten (1	
CRN: 0C18853.5	DEFT OF PUBLIC SAFETY BOLLER & PRESSURE VESSEL ACT
Notes: 1. All fittings shall be registered in the name of the Manufacturer, 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.	EXAMPLE: 1/18/2016
	BLRS PVS
	T FITTINGS DECOMPONENTS

Attachment C. Scope of Registration for Swagelok SK Series Ball Valves (Category C)

Product Scope

This document represents the scope of Swagelok SK Series Ball Valves covered by this submission for CRN approval. The Swagelok SK Series Ball Valves were designed and evaluated in accordance with ASME B31.3 for unlisted components.

Summary Table

Product Description	Main Pressure Bearing	Material	Port Connections and Sizes	Maximum Allowable Working Pressure (psig)		Design Code of
or Series	Component	Waterial		At 0 to 250°F	At 302°F	Construction
4SK	Body	316 SS ASTM A479	Swagelok Tube Fitting: 1/4 in., 3/8 in., 6 mm, 8 mm Female NPT: 1/4 in. Female ISO: 1/4 in. Male NPT: 1/4 in. Male VCO Fitting: 1/4 in. Female SAE/MS: 1/4 in.	6000	3000	ASME B31.3 (Unlisted Components)

Product Illustration



Typical Product Characteristics:

Some of the product options listed below affect the pressure-temperature ratings shown in the Summary Table, but in all cases the ratings are less than those shown in the Summary Table. All of the following options are within the scope of this registration:

O-Ring Material Options: Low-temperature fluorocarbon FKM, Buna C, Ethylene Propylene, Kalrez, Silicone

Some of the product options listed below do not affect the pressure-temperature ratings shown in the Summary Table. All of the following options are within the scope of this registration:

PTFE-Coated Stainless Steel Ball Directional and Oval Handles in Various Colors Handle Locking Brackets Latch Lock Handles Pneumatic Actuators Special Cleaning

Quality System

The Swagelok Company quality system complies with the requirements of BS EN ISO 9001:2008. The Swagelok Company maintains British Standards Institution Certificate of Registration Number FM 01729, which applies to all locations listed on the Certificate. The Swagelok SK Series Valves are manufactured at a Swagelok Company location in Solon, Ohio.

References

The product catalog does not represent the full scope of registration, but rather details some of the most common options.

Multipurpose Ball Valves, MS-02-345