UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK NUNAVUT NOVA SCOTIA YUKON PRINCE EDWARD ISLAND NORTHWEST TERRITORIES NEWFOUNDLAND AND LABRADOR

MANUFACTURERS ADDRESS: 29500 Solon Road, Solon, Ohio 44139	I/SA:
PLANT LOCATIONS: Headquarters: 29500 Solon Road, Solon, Ohio 4	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY	1139 USA (See Attachment A) TITLE OF THE STANDARD OF CONSTRUCTION
A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or re Fianges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, level pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over press boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories	ASME B31.1 for unlisted components, ASME B31.3 for unlisted components
N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐, (Meeting AECB or AS	ME requirements)
SWagelok	R ON THE PRODUCT TYPE OF CONSTRUCTION FORGED WELDED WROUGHT N CAST OTHER DESCRIBE OTHER
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACT	UAL ITEMS TO BE REGISTERED:
the product of a concept the product for which registration is sought. The	information contained in this form is due and to the best
remperature ratings, and identification markings are in accordance with the manufacture of these fittings is regulated by a Quality Control Program which is part and has been verified by BSI.	dimensions, materials of construction, pressure herein named standards. I further declare that the ch extends to each plant where fabrication occurs in who s being suitable for that purpose and I make this solemn
temperature ratings, and identification markings are in accordance with the manufacture of these fittings is regulated by a Quality Control Program while or in part and has been verified by BSI and declaration conscientiously believing it to be true, and knowing that it is of the second s	dimensions, materials of construction, pressure herein named standards. I further declare that the ch extends to each plant where fabrication occurs in who s being suitable for that purpose and I make this solemn he same force and effect as if made under oath.
temperature ratings, and identification markings are in accordance with the manufacture of these fittings is regulated by a Quality Control Program while or in part and has been verified by BSI acceptance as a declaration conscientiously believing it to be true, and knowing that it is of the signature of Declarer: Declared before me at	dimensions, materials of construction, pressure herein named standards. I further declare that the chieval extends to each plant where fabrication occurs in who is being suitable for that purpose and I make this solemn he same force and effect as if made under oath. U.S.E.T.H.I.S.S.P.A.C.E.FOR.T.H.E.
temperature ratings, and identification markings are in accordance with the manufacture of these fittings is regulated by a Quality Control Program while or in part and has been verified by BSI acceptation conscientiously believing it to be true, and knowing that it is of the Signature of Declarer: Declared before me at This day of	dimensions, materials of construction, pressure herein named standards. I further declare that the chieval extends to each plant where fabrication occurs in who is being suitable for that purpose and I make this solemn he same force and effect as if made under oath. USETHIS SPACE FOR THE TATULE OFFSCHETAL SEAL
temperature ratings, and identification markings are in accordance with the manufacture of these fittings is regulated by a Quality Control Program while or in part and has been verified by BSI and declaration conscientiously believing it to be true, and knowing that it is of the Signature of Declarer: Declared before me at the signature of Declarer and the signa	herein named standards. I further declare that the ch extends to each plant where fabrication occurs in who is being suitable for that purpose and I make this solemn he same force and effect as if made under oath. USETHIS SPACE FOR THE
temperature ratings, and identification markings are in accordance with the manufacture of these fittings is regulated by a Quality Control Program while or in part and has been verified by BSI as declaration conscientiously believing it to be true, and knowing that it is of the Signature of Declarer: Declared before me at This day of	dimensions, materials of construction, pressure herein named standards. I further declare that the chieval extends to each plant where fabrication occurs in who is being suitable for that purpose and I make this solemn he same force and effect as if made under oath. USETHIS SPACE FOR THE TATULE OFFSCHETAL SEAL - June 5, 2029 Nouveau- Brunswick
temperature ratings, and identification markings are in accordance with the manufacture of these fittings is regulated by a Quality Control Program while or in part and has been verified by BSI and declaration conscientiously believing it to be true, and knowing that it is of the signature of Declarer: Declared before me at This day of	dimensions, materials of construction, pressure herein named standards. I further declare that the chieval extends to each plant where fabrication occurs in who is being suitable for that purpose and I make this solemn he same force and effect as if made under oath. USETHIS SPACE FOR THE TATUTE OF SCHELLAL SEAL - June 5, 2029 Bruns Nouveau Bruns Wick uthority use years DEMITTORIAL STAGE PURBLIC SAFETY BOILER & PRESSURE VESSEL ACT
temperature ratings, and identification markings are in accordance with the manufacture of these fittings is regulated by a Quality Control Program while or in part and has been verified by BSI and declaration conscientiously believing it to be true, and knowing that it is of the signature of Declarer: Declared before me at This	dimensions, materials of construction, pressure herein named standards. I further declare that the chieval extends to each plant where fabrication occurs in who is being suitable for that purpose and I make this solemn he same force and effect as if made under oath. USETHIS SPACE FOR THE TATUTE OFFICIAL SEAL - June 5, 2020 Bruns Nouveau Bruns Wick uthority use years DEMITGRID STAGE PUBLIC SAFETY BOILER & PRESSURE VESSEL ACT
temperature ratings, and identification markings are in accordance with the manufacture of these fittings is regulated by a Quality Control Program while or in part and has been verified by BSI and declaration conscientiously believing it to be true, and knowing that it is of the signature of Declarer: Declared before me at This	dimensions, materials of construction, pressure herein named standards. I further declare that the chieval extends to each plant where fabrication occurs in who is being suitable for that purpose and I make this solemn he same force and effect as if made under oath. USETHIS SPACE FOR THE TATUTE OF SCHELLAL SEAL - June 5, 2029 Bruns Nouveau Bruns Wick uthority use years DEMITTORIAL STAGE PURBLIC SAFETY BOILER & PRESSURE VESSEL ACT
temperature ratings, and identification markings are in accordance with the manufacture of these fittings is regulated by a Quality Control Program while or in part and has been verified by BSI and declaration conscientiously believing it to be true, and knowing that it is of the signature of Declarer: Declared before me at This	dimensions, materials of construction, pressure herein named standards. I further declare that the chextends to each plant where fabrication occurs in who is being suitable for that purpose and I make this solemn he same force and effect as if made under oath. USETHIS SPACE FOR THE TATLIFE THE TATLIFE OF SCHOOL AND SEAL SEAL SEAL SEAL SEAL SEAL SEAL SEAL



THIS IS PART OF CRN
0C22514.5
Technical Standards and Safety Authority
Boilers and Pressure Vessels Safety
Program

Date: June 5, 2020 Page 1 of 2

Attachment B: Scope for Swagelok 31, S, M, and L Series Metering Valves (Category C)

This document represents the scope of the Swagelok 31, S, M, and L Series Metering Valves covered by this submission for CRN approval. These products were designed and evaluated in accordance with ASME B31.1-2018 for unlisted components and ASME B31.3-2018 for unlisted components.

Summary Table

Product	Main Pressure Bearing Component	Main Pressure Bearing Material (Standard)	Port Connections, Sizes	Maximum Rated Pressure (psig)		Design Code	
Series				At -10 to 100°F (except 31 Series)	At max temperature	of Construction	
31	Body, Bonnet	316 SS (ASTM A479)	Tube Fitting 1/4",6MM Female NPT 1/8",1/4"	5000 @ -65 to 100°F	3435 @ 450°F 2815 @ 850°F		
S	Body, Bonnet	316 SS (ASTM A479)	Tube Fitting 1/16", 1/8",1/4", 3MM,6MM Male VCR 1/4"	2000	2000 @ 400°F	ASME B31.1 (Unlisted	
M	Body, Bonnet	316 SS (ASTM A479)	Tube Fitting 1/8", 1/4", 3MM, 6MM Male NPT 1/8", 1/4" Female NPT 1/8" Male VCR 1/4"	1000	1000 @ 400°F	Components) and ASME B31.3 (Unlisted Components)	
L	Body, Bonnet	316 SS (ASTM A479)	Tube Fitting 1/4", 3/8", 6MM Male NPT 1/4"	1000	1000 @ 400°F		
S	Body, Bonnet	Brass C37700 (ASTM B283)	Tube Fitting 1/16", 1/8",1/4", 3MM,6MM	2000	2000 @ 200°F		
М	Body, Bonnet	Brass C37700 (ASTM B283)	Tube Fitting 1/8", 1/4", 3MM, 6MM Male NPT 1/8", 1/4" Female NPT 1/8"	1000	1000 @ 200°F	ASME B31.1 (Unlisted Components)	
L	Body, Bonnet	Brass C37700 (ASTM B283)	Tube Fitting 1/4", 3/8", 6MM Male NPT 1/4"	1000	1000 @ 200°F		
S	Body, Bonnet		Brass C37700 (ASTM B283)	Tube Fitting 1/16", 1/8", 1/4", 6MM	2000	2000 @ 300°F	
		(A31W B203)	Tube Fitting 3MM	2000	1885 @ 300°F		
М	Body, Bonnet	Brass C37700 (ASTM B283)	Tube Fitting 1/8", 1/4", 3MM, 6MM Male NPT 1/8", 1/4" Female NPT 1/8"	1000	1000 @ 300°F	ASME B31.3 (Unlisted Components)	
L	Body, Bonnet	Brass C37700 (ASTM B283)	Tube Fitting 1/4", 3/8", 6MM Male NPT 1/4"	1000	1000 @ 300°F		



Canadian Registration Number Submittal Category C: Swagelok Metering Valves

Product Illustration



Date: June 5, 2020

Page 2 of 2

Typical Product Characteristics

Additional options that do not affect pressure-temperature ratings may be made available within the scope of this registration. Examples of these would include stem seal materials and handles.

Quality System

The Swagelok Company quality system complies with the requirements of ISO 9001:2015. The Swagelok Company maintains BSI Certificate of Registration Number FM 01729, which applies to all locations listed on the Certificate.

References

The product catalog does not represent the full scope of registration, but rather details some of the most common options.

31, S, M, L Series Metering Valves Catalog MS-01-142, R11

Attachment A. Swagelok Manufacturing Locations

This document lists the Swagelok locations where end item or component level manufacturing activities take place.

Swagelok Company 29500 Solon Road Solon, Ohio 44139 USA	Swagelok Company (Falon 1) 348 Bishop Road Highland Heights, Ohio 44143 USA THIS IS PART 0C22514.5 Technical Standards and	Safety Authority
Swagelok Company (Highland) 318 Bishop Road Highland Heights, Ohio 44143 USA	Swagelok Company (Falon 2) 358 Bishop Road Highland Heights, Ohio 44143 USA Boilers and Pressure V Program	essels Safety
Swagelok Company (OFC) 29495 F.A. Lennon Drive Solon, Ohio 44139 USA	Swagelok Company (HPF) 6050 Cochran Road Solon, Ohio 44139 USA	
Swagelok Company (Atlantic) 26651 Curtiss Wright Parkway Willoughby Hills, Ohio 44092 USA	Swagelok Company (Snow Metal) 6060 Cochran Road Solon, Ohio 44139 USA	
Swagelok Company (Micro) 26653 Curtiss Wright Parkway Willoughby Hills, Ohio 44092 USA	Swagelok Company (Alfred) 29500 Ambina Drive Solon, Ohio 44139	
Swagelok Hose Services Company (SHSC) 29900 Solon Industrial Parkway Solon, Ohio 44139	Swagelok Company (Strongsville) 15400 Foltz Road Strongsville, Ohio 44119	
Swagelok (China) Fluid System Technologies Ltd. Changshu Export Process Zone Changshu Economic Development Zone Changshu, Jiangshu 215513 China	Swagelok Limited Ballafletcher Road Tromode IM4 4RA Isle of Man	