UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	Swagelok Company		
MANUFACTURERS ADDRES		i. Solon, Ohio 44139 USA	
PLANT LOCATIONS: Head	puarters: 29500 Solor	Road, Solon, Ohio 44139 USA (See A	ttachment A)
CATÉGORY OF FIT	TINGS TO BE REGISTER	ED. CIRCLE ONE CATEGORY ONLY	ITTLE OF THE STANDARD OF CONSTRUCTION
A Pipe fittings, including coup B Flanges: all fianges C Valves: all fine valves D Expansion joints, flexible co E Strainers, filters, separators F Measuring devices, includin pressure transmitters G Certified capacity-rated presociers, pressure vessels, p	nnections, and hose essen, and steam trape pressure gauges, level gaussian trape source gauges, level gaussian trape source relief devices accepta lighing and fusible plugs	gs, unions, pipe caps, or reducers ablies: all types auges, sight glasses, levels, or able as primary over pressure protection on	Association of Rubber Products Manufacturers (ARPM) Hose Handbook
H Pressure retaining compone		[17] 이러, 급하다 및 고리 (T.) 전 (T.) 프라마트 (T.) 그리고 있는 것이다. 네트워크 (T.) 그리고 있는 것이다.	1
		D. (Meeting AECB or ASME requirements) DGO AS IT WILL APPEAR ON THE PRODUC	VOAPAT VIII VIII VIII VIII VIII VIII VIII VI
Swa	gelok	AS IT WILL APPEAR ON THE PRODUC	FORGED WELDED & WASDERT D CAST D OTHER M CERCRISE OTHER CARDON black- filled virgin PTFE core
LIST OF SUPPOSTING DOC	MENTATION AND INCHY	FIGATION OF THE ACTUAL ITEMS TO BE R	HARMEN
my knowledge represents the emperature ratings, and iden manufacture of these fittings or in part and has been verific	f the end product do sole product for which regis diffication markings are less is regulated by a Quality and by BSI	emnly declare that the information contain tration is sought. The dimensions, materic a accordance with the herein named stand Control Program which extends to each p	als of construction, pressure lards. I further declare that the plant where fabrication occurs in whole that purpose and I make this salerup
Signature of Declarer:	411.71		mout as il riquid billion day!
Tendenting the bound of the late of the second	7.10- 1.29-		
This day of	able to get a	notary signature OFF	S SPACE FOR THE ICIAL SEAL
Commissioner of OathsOT	seal due to C	OVID-19 situation	
or Notary Public: (sign)	8418/1.1.02021	MI	
This		space for Regulatory Authority use alidated after ten (10) years from the sate	of otence.
CRN: 0D22658.5		Northwe	st 1630
FID#: 1214			STERED
NC series PTFE hose as 720psi (1/2") 375psi (3/4 Notas: 1. Ali fittings shall be registered 2. Each category shall be supp	") @ -65F to 100F; 4 I in the name of the Menufa orted with two Statutory De	UNDER THE THE BOILER.	AUTHORITY OF AND PRESSURE SELACT.
forms and one copy of supporting. The declaration shall be made responsibility for the quality of till. Quality control programs also at a maximum interval of five (5).	te by the person having full ne end product, all be resubmitted for valida) years.	SIGNED_	+ 6 2029
CRN expires Aug.3	1, 2030 - DG		



Canadian Registration Number Submittal
Category D Crimped Swagelok NC series PTFE Hose

THIS IS PART OF CRN
0D22658.5
Technical Standards and Safety Authority
Boilers and Pressure Vessels Safety
Program

June 22, 2020 Page 1 of 2

Attachment B: Scope of Registration for Crimped Swagelok NC series PTFE Hose Assemblies (Category D)

This document represents the scope of the Swagelok Coreflex (NC series) hose and crimped assemblies covered by this submission for CRN approval. These products have been evaluated in accordance with the Association for Rubber Products Manufacturers (ARPM) Hose Handbook.

Summary Table

NC Maximum Pressure (psig)						
series Hose Size	At Minimum Temp. (-65°F)	Room temperature (0°-100°F)	At Maximum Temp. (450°F)	Pressure Retaining Material	End Connections and Sizes	Design Code of Construction
3/8"	1250	1250	140	<u>Core</u> Convoluted Bore Carbon Black- filled (PTFE)	Swagelok Tube Fitting [SL SM] 1/8" – 2" (3-50mm) Male & Female NPT Tapered Pipe Fitting [PM PF] 1/8" – 2" Male and Female ISO/BSP Tapered (ISO 7) Pipe Threads [MT FT]	
1/2"	720	750	130	Covered By Ceramic Insulating Wrap Braid Aramid Fiber Braid Reinforcement	1/4" – 1" Male 37° JIC & Female 37° JIC with female swivel nut [AN, AS] 1/4" – 2" Tube Butt Welds [TB] 1/2" – 1" Female & Male VCO O-ring Face seal Fitting [VF, VM]	Association for Rubber Products Manufacturers (ARPM) Hose Handbook
3/4"	375	375	80	Connections 316 SS Crimp on Collar 300 series SS	1/8" - 2" Male & Female VCR Metal Gasket Face seal Fitting [RF, RM] 1/8" - 2" Female ISO/BSP Parallel Threads (ISO 228) [FS] 1/4"- 1"	

Product Description

NC series is standard Swagelok virgin Convoluted PTFE-lined hose with a Nomex insulating wrap and fiber braid reinforcement. All NC series hoses undergo production testing in accordance with ASTM D380 "Test Methods for Rubber Hose" (version current to hose production date).



Canadian Registration Number Submittal Category D Crimped Swagelok NC series PTFE Hose


THIS IS PART OF CRN 0D22658.5

Technical Standards and Safety Authority Boilers and Pressure Vessels Safety Program

June 22, 2020 Page 2 of 2

Configurations

All end connection inserts are crimped onto the hose using crimp collars.



Product Options:

Additional options that do not affect pressure and/or temperature ratings may be made available and are within the scope of this approval. Examples of these would include, but not limited to, the following:

Cover Options

- Armor guard Interlocking, flexible 302 stainless steel.
- Fire jacket Woven fiberglass coated with specially compounded aerospace-grade silicone rubber
- Spiral guard Helical HDPE plastic

Tag and Marking Options

- Mat tag Polyester tag with customer-specified text
- Lanyard tag Stainless steel tag with customer-specified text

End Connection Seals or Sealants Options

- VCO O-rings
- Pipe Thread ends thread sealant

Quality System

The Swagelok Company quality system complies with the requirements of ISO 9001:2015. The Swagelok Company maintains BSI Certificate of Registration Number FM 01729, which applies to all locations listed on the Certificate.

References

The product catalog does not represent the full scope of the registration but rather details some of the most common options. Hose Assemblies, Bulk Hose, and End Connections Product Catalog MS-01-180.

THIS IS PART OF CRN 0D22658.5 Technical Standards and Safety Authority Boilers and Pressure Vessels Safety

Attachment A. Swagelok Manufacturing Locations

This document lists the Swagelok locations where end item or component level manufacturing activities take place.

Swagelok Company	Swagelok Company (Falon 1)	
29500 Solon Road	348 Bishop Road	
Solon, Ohio 44139	Highland Heights, Ohio 44143	
USA	USA	
Swagelok Company (Highland)	Swagelok Company (Falon 2)	
318 Bishop Road	358 Bishop Road	
Highland Heights, Ohio 44143	Highland Heights, Ohio 44143	
USA	USA	
Swagelok Company (OFC)	Swagelok Company (HPF)	
29495 F.A. Lennon Drive	6050 Cochran Road	
Solon, Ohio 44139	Solon, Ohio 44139	
USA	USA	
Swagelok Company (Atlantic)	Swagelok Company (Snow Metal)	
26651 Curtiss Wright Parkway	6060 Cochran Road	
Willoughby Hills, Ohio 44092	Solon, Ohio 44139	
USA	USA	
Swagelok Company (Micro) 26653 Curtiss Wright Parkway Willoughby Hills, Ohio 44092 USA	Swagelok Company (Alfred) 29500 Ambina Drive Solon, Ohio 44139	
Swagelok Hose Services Company (SHSC)	Swagelok Company (Strongsville)	
29900 Solon Industrial Parkway	15400 Foltz Road	
Solon, Ohio 44139	Strongsville, Ohio 44119	
Swagelok (China) Fluid System Technologies Ltd. Changshu Export Process Zone Changshu Economic Development Zone Changshu, Jiangshu 215513 China	Swagelok Limited Ballafletcher Road Tromode IM4 4RA Isle of Man	