UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NUNAVUT		ORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAM	E: Swagelok Company		
MANUFACTURERS ADD	RESS: 29500 Solon Road, Solon,	Ohio 44139 USA	
PLANT LOCATIONS: He	adquarters: 29500 Solon Road, S	Solon, Ohio 44139 USA (See Atta	achment A)
CATEGORY OF	FITTINGS TO BE REGISTERED. CIRC	LE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
B Flanges: all flanges C Valves: all flan valves D Expansion joints, flexible E Strainers, filters, separa F Measuring devices, inci- pressure transmitters C Certified capacity-rated boilers, pressure vesse H Pressure retaining com-	couplings, tees, elbows, Ys, plugs, unions to connections, and hose assemblies: all tions, and steam traps uding pressure gauges, level gauges, sig i pressure relief devices acceptable as prints, piping and fusible plugs ponents that do not fall into one of the abcites 1 Class 2 Class 3 C, Meet	types ht glasses, fevels, or many over pressure protection on ove categories	Rubber Products Manufacturers (ARPM) Hose Handbook
	S NAME, TRADEMARK, OR LOGO AS		TYPE OF CONSTRUCTION
Sw	agelok		CAST O OTHER X DESCRIBE OTHER: PTFE Core
LIST OF SUPPORTING P	OCUMENTATION AND IDENTIFICATIO	N OF THE ACTUAL MENS TO BE BE	CIEVEDED.
responsibility for the qua my knowledge represent temperature ratings, and manufacture of these fitti or in part and has been a decignation conscientious	is the product for which registration is identification markings are in accordings is regulated by a Quality Control	eclare that the information containe a sought. The dimensions, material dance with the herein named standa i Program which extends to each plant of the as being suitable for the gothat it is of the same force and ef	ards, I further declare that the lant where fabrication occurs in whole lat rumose and I make this solemn
Signature of Declarer:	7447		
Commissioner of Oatha	- September 17, 202 (Affix Official sest to the right)	-19 situation OFFI	SPACE FOR THE
	This registration must be revalidated	for Regulatory Authority use is after ten (10) years from the date o	of acceptance.
assemblies. 1/2" 1. All fillings shall be region 2. Each category shall be forms and one copy of sur 3. The declaration shall be responsibility for the quality.	ok CT series PTFE hose ' to 2" sizes. stered in the name of the Manufacturer. supported with two Statutory Declaration porting documentation. e made by the person having full authorit ty of the end product.	ty and	EDWARD ISLAND & ENVIRONMENT
at a maximum interval of	ns shall be resubmitted for validation five (6) years. ct.14th, 2030 - DG	BOILER/PRESSURE VI	



Canadian Registration Number Submittal Category D Crimped Swagelok CT Series PTFE Hose

THIS IS PART OF CRN 0D22736.5

Technical Standards and Safety Authority

Boilers and Pressure Vessels Safety

September 1, 2020 Page 1 of 2

Attachment B: Scope of Registration for Crimped Swagelok CT Series PTFE Hose Assemblies (Category D)

This document represents the scope of the Swagelok Coreflex (CT series) hose and crimped assemblies covered by this submission for CRN approval. These products have been evaluated in accordance with the Association for Rubber Products Manufacturers (ARPM) Hose Handbook.

Summary Table

CT Maximum Pressure		Pressure				
Series Hose Size	At Minimum Temp.	Room temperature (0°-100°F)	At Maximum Temp.	Retaining Material	End Connections and Sizes	Design Code of Construction
1/2"	1500 psig @ -65°F	1500 psig	1500 psig @ 450°F		Swagelok Tube Fitting [SL SM] 1/8" – 2" (3-50mm)	
3/4"	1100 psig @ -65°F	1110 psig	900 psig @ 450°F	Core Helical Convoluted PTFE	Male & Female NPT Tapered Pipe Fitting [PM PF] 1/8" – 2" Female & Male VCO O-ring Face seal Fitting [VF, VM] 1/8" - 2"	
1"	750 psig @ -65°F	750 psig	490 psig @ 450°F	Braid 304 SS Braid Reinforcement End Connections	Male & Female ISO/BSP Tapered (ISO 7) Pipe Threads [MT FT] 1/4" – 1" Male 37° JIC & Female 37° JIC with female swivel nut [AN AS] 1/4" – 2"	Association for Rubber Products Manufacturers (ARPM) Hose Handbook
1 1/2"	675 psig @ -20°F	700 psig	330 psig @340°F	316 SS Crimp on Collar 300 series SS	Tube Butt Welds [TB] 1/2" – 1" Female & Male VCR Metal Gasket Face Seal [RF, RM] 1/8" – 2" Female ISO/BSP Parallel	
2"	525 psig @ -20°F	525 psig	485 psig @340°F		Threads (ISO 228) [FS] 1/4" – 1"	



Canadian Registration Number Submittal
Category D Crimped Swagelok CT Series PTFE Hose

THIS IS PART OF CRN
0D22736.5
Technical Standards and Safety Authority
Boilers and Pressure Vessels Safety
Program


September 1, 2020 Page 2 of 2

Product Description

Swagelok's CT series hose is helical convoluted PTFE, 300 series stainless steel braided hose. All CT series hoses undergo production testing in accordance with ASTM D380 "Test Methods for Rubber Hose" (version current to hose production date).

Configurations

All end connection inserts are crimped onto the hose using crimp collars.



Product Options:

Additional options that do not affect pressure and/or temperature ratings may be made available and are within the scope of this approval. Examples of these would include, but not limited to, the following:

Cover Options

- Armor guard Interlocking, flexible 302 stainless steel.
- Fire jacket Woven fiberglass coated with specially compounded aerospace-grade silicone rubber
- Spiral guard Helical HDPE plastic

Tag and Marking Options

- Mat tag Polyester tag with customer-specified text
- Perma tag (JT only)- Polyester tag encapsulated in platinum-cured silicone with customerspecified text
- Lanyard tag Stainless steel tag with customer-specified text

End Connection Seals or Sealants Options

- VCO O-rings
- Pipe Thread ends thread sealant

Quality System

The Swagelok Company quality system complies with the requirements of ISO 9001:2015. The Swagelok Company maintains BSI Certificate of Registration Number FM 01729, which applies to all locations listed on the Certificate.

References

The product catalog does not represent the full scope of the registration but rather details some of the most common options. Hose Assemblies, Bulk Hose, and End Connections Product Catalog MS-01-180.

THIS IS PART OF CRN

0D22736.5

Technical Standards and Safety Authority
Boilers and Pressure Vessels Safety
Program

Attachment A. Swagelok Manufacturing Locations

This document lists the Swagelok locations where end item or component level manufacturing activities take place.

Swagelok Company	Swagelok Company (Falon 1)	
29500 Solon Road	348 Bishop Road	
Solon, Ohio 44139	Highland Heights, Ohio 44143	
USA	USA	
Swagelok Company (Highland)	Swagelok Company (Falon 2)	
318 Bishop Road	358 Bishop Road	
Highland Heights, Ohio 44143	Highland Heights, Ohio 44143	
USA	USA	
Swagelok Company (OFC)	Swagelok Company (HPF)	
29495 F.A. Lennon Drive	6050 Cochran Road	
Solon, Ohio 44139	Solon, Ohio 44139	
USA	USA	
Swagelok Company (Atlantic)	Swagelok Company (Snow Metal)	
26651 Curtiss Wright Parkway	6060 Cochran Road	
Willoughby Hills, Ohio 44092	Solon, Ohio 44139	
USA	USA	
Swagelok Company (Micro) 26653 Curtiss Wright Parkway Willoughby Hills, Ohio 44092 USA	Swagelok Company (Alfred) 29500 Ambina Drive Solon, Ohio 44139	
Swagelok Hose Services Company (SHSC)	Swagelok Company (Strongsville)	
29900 Solon Industrial Parkway	15400 Foltz Road	
Solon, Ohio 44139	Strongsville, Ohio 44119	
Swagelok (China) Fluid System Technologies Ltd. Changshu Export Process Zone Changshu Economic Development Zone Changshu, Jiangshu 215513 China	Swagelok Limited Ballafletcher Road Tromode IM4 4RA Isle of Man	