## TING DESIGNS

UNIFORM	STATUTORY DECLARAT	TON FORM FOR THE REGISTRAT	TION OF FITTING DESIGNS	
NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR	
MANUFACTURERS NA	a magainer an marri	- <u> </u>	<u> </u>	
MANUFACTURERS AD		l, Solon, Ohio 44139 USA		
PLANT LOCATIONS: 1	leadquarters: 29500 Solon	Road, Solon, Ohio 44139 USA (Se	e Attachment A)	
CATEGORY C	F FITTINGS TO BE REGISTER	D. CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCT	
A Pipe fittings, including B Flanges: all flanges [C] Valves: all line valves D Expension joints, flax E Strainars, filters, sega	couplings, tees, elbows, Ys, più s ble connections, and hose assen	39, unions, pipe caps, or reducers	ASME B31.1, ASME B31 for unlisted components where applicable	

THE STANDARD OF CONSTRUCTION IE B31.1, ASME B31.3 inlisted components re applicable

G Cartifled capacity-rated pressure relief devices acceptable as primary over pressure protection on bollers, pressure vessels, piping and fusible plugs

H Pressure retaining components that do not fell into one of the above categories

N Nuclear components: Class 1 ☐ Class 2 ☐ Class 3 ☐, (Mosting AECS or ASME requirements)

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT

TYPE OF CONSTRUCTION FORUED D WELDED D WROUGHT BE CAST D OTHER DESCRIPE OTHER:

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

Attachment A, Attachment B. Support Documents, Catalog Information, ISO 9001:2008 Quality System Certificate Items To Be Registered: Swagelok Ceneral Utility Service (CU Scries) Needle Valves

BEOLD AND ADDRESS OF THE PARTY
DECLARATION:
David H. Peace teaching amployed by Swagelok Company and being the person having full authority and
responsibility for the abslity of the end product de spiemaly decists that the information contained in this form is the form in the second to the
ity Milwiculta rapidatoria ine product for which registration is angight. The dimensions, motodals of constanting assessment
temperature reunige, and identification markings are in accompanie with the berein named standards. A further declare that the
manusacula of these hisnes is requisied by a guighty Control Program which extends to each plant where foliation and a second
of the part and need peed veriled by the UCSUSD attendants institution are before entable for that number and the contract an
declaration conscientiously believing to be true, and knowing that it is of the same force and effect as it made under eath.
And the state of the same long state died as it made under care.
Signature of Declarer:
3.4
Declared before me at SOIDO DOID Jamle Linds THIS SPACE FOR THE
This 121 day of Canadry AD 2076 Resident Portage County F. F. I. C. I. A. E. S. E. A. L. S. E. S. E. A. L. S. E. A. L. S. E. A. L. S. E. S. E. A. L. S. E. S. E. A. L. S. E. A
Commissioner of Oeths ( Mobily Public, State of Ohio
or Notary Public: (sign)CUMO
Affix Official scal to the right)
This space for Regulatory Authority use
White and all the countries of the count

This registration must be revelidated after ten (10) years from the data of acceptance.

CRN: 0C18297.5 FID#: 1214

1. All fluings shall be registered in the name of the Manufacturer.

 Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.

3. The declaration shall be made by the person having full euthority and responsibility for the quality of the end product.

4. Quality control programs shall be resubmitted for validation et a maximum interval of five (6) years,

ACCEPTED PROVINCE OF PRINCE EDWARD ISLAND COMMUNITIES, LAND & ENVIRONMENT

CRN. OC 1529 7.

DATE:

INSPECTION SERVICES SECTION BOILER/PRESSURE VESSEL BRANCH

# Attachment B. Scope of Registration for Swagelok General Utility Service Needle Valve (Category C)


## **Product Scope**

This document represents the scope of Swagelok General Utility Service Needle Valve covered by this submission for CRN approval. The Swagelok GU Series Needle Valves were designed and evaluated in accordance with ASME B31.1 and ASME B31.3 as unlisted components.

### **Summary Table**

Product Description	Main Pressure Bearing Components	Material / Specification	End Connections and End Connection Sizes	Minimum Temperature	Maximum Allowable Working Pressure (psig)		Design Code of
or Series					At 70°F	At 650°F	Construction
4GU	Body, Bonnet	316 SS / ASTM A479	Female NPT: ¼", 3/8", ½" Male NPT ¼", 3/8", ½" Tube Socket Weld: ¼", 3/8", ½"; 6mm, 8mm, 10mm, 12mm	-20°F	6000	3660	ASME B31.1 ASME B31.3
8GU	Body, Bonnet	316 SS / ASTM A479	Female NPT: 1/2", ¾", 1" Male NPT: 1/2", ¾", 1" Tube Socket Weld: 1/2", ¾", 1"; 12mm, 14mm, 16mm	-20°F	6000	3660	ASME B31.1 ASME B31.3
16GU PS-48306	Body, Bonnet	316 SS / ASTM A479	Female NPT: ¾", 1" Male NPT: ¾", 1" Tube Socket Weld: ¾", 1"; 14mm, 16mm, 18mm, 25mm	-20°F	4500	3660	ASME B31.1 ASME B31.3

## **Product Drawings/Configurations**





#### **Typical Product Characteristics:**

Some of the product options listed below affect the pressure-temperature ratings shown in the Summary Table, but in all cases the ratings are less than those shown in the Summary Table. All of the following options are within the scope of this registration:

PTFE packing material Graphite packing material

Some of the product options listed below do not affect the pressure-temperature ratings shown in the Summary Table. All of the following options are within the scope of this registration:

Straight or Angle-Pattern Bodies Male or Female End Connections High-Temperature Seals Anti-tamper Handles Round Lockable Handles Cleaning Options

#### **Quality System**

The Swagelok Company quality system complies with the requirements of BS EN ISO 9001:2008. The Swagelok Company maintains British Standards Institution Certificate of Registration Number FM 01729, which applies to all locations listed on the Certificate. The Swagelok GU Series Needle Valves are manufactured at a Swagelok Company locations in Solon, Ohio.

#### **Special Ordering Instructions**

SS-16GU must be ordered with Process Sheet PS-48306 to ensure that the correct rating is marked on the valve.

#### References

The product catalog does not represent the full scope of registration, but rather details some of the most common options.

• General Utility Service Needle Valves MS-02-312