

PH: (306)798-7112 Toll Free: (866)530-8599 FAX: (306)787-9273 Toll Free: (866)760-9255

Email: boilerpermits@tsask.ca Website: www.tsask.ca



Codes & Standards Compliance Office

# Statutory Declaration (Registration of Fittings)

TSK-1008

Joel Feldm	nan			In this space, show facsimile of	
Section 1	MATERIAL CONTRACTOR	manufacturer's logo or trademark as it appear on the fitting.			
vice Presi	dent, Engineering (company title, e.g. vice president, pla	ant manager, chief engineer)	¥7.5	appear on the mund.	
(must be	in a position of authority in the manufact	의 전시가 많은 사이지 않는데 그리고 있다. 그리고 있는데 그리고 있는데 그리고 있다고 있다.	s produced)	Manolal	
: Swagelok Company				Caddelo	
	(name of mar	nufacturer)	-	SAV STATE OF THE SAVE OF THE S	
ated at:	Headquarters: 29500 Solon Ro	ad	Solon, Ohio	44139 USA	
	(Plant Address – Apt/Street) eclare that the fittings listed he Act (check one)	reinunder, which are	(City,Prov) subject to the <b>Saska</b>	(Postal Code) atchewan Boiler and Pressure	
) Comply	with the requirements of ASI	ME B31.1 and ASME B	31.3 which	h specifies the dimensions,	
	ls of construction, pressure / te	e of recognized North Americ	an Standard)	9 3	
275 IV.1.1		en e			
	covered by the provisions of a	recognized North An			
to comp		-		as supported by the attached	
data wh	nich identifies the dimensions, i	materials of construct	ion, pressure / tempe	erature ratings and the basis	
for such	ratings, and the marking of th	e fittings for identifica	tion.		
rther declar	re that the manufacturer of the	se fittings is controlled	by a quality control	program which has been	
		90000	57 CT. 1 CT.		
mod by are	following authority, BSI		as bein	g suitable for the manufacturer	
A construction of the state of	s to the stated standard. The	fittings covered by this			
these fitting tegory C. Va support of the	s to the stated standard. The live	formation, calculation	s declaration, for whi	ich I seek registration, are are attached:	
these fitting tegory C. Va support of the O 9001:20 ocuments	s to the stated standard. The slive his application, the following in 015 Certificate, Attachme	formation, calculation	s declaration, for whi	ich I seek registration, are are attached:	
hese fitting legory C. Va support of the O 9001:20 ocuments	s to the stated standard. The slive his application, the following in 015 Certificate, Attachme	formation, calculation nt A, Attachment I	s declaration, for whi	ich I seek registration, are are attached: nation and other Support	
these fitting tegory C. Va support of the O 9001:20 ocuments Declarate CLARED b	s to the stated standard. The live his application, the following in 015 Certificate, Attachme	formation, calculation	s declaration, for whi	ich I seek registration, are are attached:	
these fitting stegory C. Value support of the O 9001:20 ocuments  Declarate CLARED be supported by the Clarate ocuments  Unable (print pame) ocuments	s to the stated standard. The slive his application, the following in 015 Certificate, Attachme	formation, calculation nt A, Attachment I In the, nature or	s declaration, for whi	ich I seek registration, are are attached: nation and other Support of	
these fitting tegory C. Va support of the comments of the comm	s to the stated standard. The slive this application, the following in 015 Certificate, Attachme tion efore me at day of to get a notary sign to COVID-19 site ommissioner of Oaths)	formation, calculation nt A, Attachment I In the, nature or	s declaration, for whi	ich I seek registration, are are attached: nation and other Support of	
hese fitting tegory C. Value of the Support of the O 9001:20 ocuments  Declarate CLARED be print name of Color	s to the stated standard. The slive this application, the following in 015 Certificate, Attachme tion efore me at day of to get a notary sign to COVID-19 sit ommissioner of Oaths)	formation, calculation Int A, Attachment I In the Interpretation - Aug	s declaration, for which is and / or test data at 3, Catalog Inform  (Signature)  ust 27, 2020	ich I seek registration, are are attached: nation and other Support of	
hese fitting egory C. Va support of the D 9001:20 ocuments  Declarate CLARED by the D 100 ocuments  Declarate CLARED by the Declarate of Color of C	s to the stated standard. The slive  his application, the following in O15 Certificate, Attachme  tion  efore me at  day of  to get a notary sign to get a notary sign to COVID-19 site of COVID-	formation, calculation In the  In the  gnature or uation - Aug  cation meets the require ation in Category	s declaration, for which is and / or test data at 3, Catalog Inform  (Signature)  ust 27, 2020	ich I seek registration, are are attached: nation and other Support of	
nese fitting egory C. Va upport of the D 9001:2 cuments  Declarate CLARED be Declarate CLARED be Declarate CLARED be Declarate CLARED be Declarate	s to the stated standard. The slive this application, the following in 015 Certificate, Attachme 015 Certificate, Attachme day of to get a notary sign to ge	formation, calculation In the  In the  gnature or uation - Aug  cation meets the require ation in Category	(Signature)  (Signature)  ust 27, 2020  ements of the Boiler are	ich I seek registration, are are attached: nation and other Support of	
bese fitting regory C. Value of the Declarate CLARED best of many control of the Declarate CLARED best of many control of the Dest of the	s to the stated standard. The slive  his application, the following in O15 Certificate, Attachme  tion  efore me at  day of  to get a notary sign to get a notary sign to COVID-19 site of COVID-	formation, calculation In the  In the  gnature or uation - Aug  cation meets the require ation in Category	(Signature)  (Signature)  ust 27, 2020  ements of the Boiler are	ich I seek registration, are are attached: nation and other Support of	
hese fitting tegory C. Value of the Support of the O 9001:20 ocuments  Declarate CLARED be all due of the Declarate of Control of the Declarat	s to the stated standard. The slive this application, the following in 015 Certificate, Attachme 015 Certificate, Attachme day of to get a notary sign to ge	formation, calculation In the  In the  gnature or uation - Aug  cation meets the require ation in Category	(Signature)  (Signature)  ust 27, 2020  ements of the Boiler are	ich I seek registration, are are attached: nation and other Support of	



Canadian Registration Number Submittal Category C: Swagelok Sno-Trik High Pressure Needle Valves

# Attachment B. Scope of CRN Registration for Swagelok Sno-Trik 410, 445, 645 and 945 Series High-Pressure Needle Valves (Category C)

Date: August 13, 2020

Page 1 of 2

This document represents the scope of the Sno-Trik 410, 445, 645 and 945 Series High-Pressure Needle Valves covered by this submission for CRN approval. The 410 Series Valves were designed and evaluated in accordance with ASME B31.1 for unlisted components and ASME B31.3 for unlisted components, while the 445, 645 and 945 High-Pressure Needle Valves were designed and evaluated in accordance with ASME B31.3 Chapter IX for unlisted components.

## **Summary Table**

	Main	Main Pressure		Maximum Rated Pressure (psig)		Design Code
Product Series	Pressure Bearing Component	Bearing Material (Standard)	Port Connections and Sizes	At –65 to 100°F	At maximum temperature	of Construction
410	Body	316 SS (ASTM A479)	Female NPT 1/4"	15,000	6085 @ 850°F	ASME B31.1 (Unlisted Components) and ASME B31.3 (Unlisted Components)
445	Body	316 SS (ASTM A479)	Swagelok straight thread high-pressure Female 9/16"	45,000	33,400 @ 450°F	ASME B31.3 Chapter IX (Unlisted Components)
			Medium Pressure 1/4"	20,000	18,600 @ 450°F	
645	Body	316 SS (ASTM A479)	Swagelok straight thread high-pressure Female 3/4	45,000	33,400 @ 450°F	
			Medium Pressure 3/8"	20,000	18,600 @ 450°F	
945	Body	316 SS (ASTM A479)	Swagelok straight thread high-pressure Female 1-1/8	45,000	33,400 @ 450°F	
			Medium Pressure 1/2"	20,000	18,600 @ 450°F	





Canadian Registration Number Submittal
Category C: Swagelok Sno-Trik High Pressure Needle Valves

## **Product Illustration**



Date: August 13, 2020

Page 2 of 2

## **Typical Product Characteristics:**

Some of the product options listed below affect the pressure-temperature ratings shown in the Summary Table, but in all cases the ratings are equal to or less than those shown in the Summary Table. All of the following options are within the scope of this registration:

## **Stem Material**

440C SS S17400 SS

#### **Stem Seal Material**

Glass-Filled PTFE Grafoil

## **Quality System**

The Swagelok Company quality system complies with the requirements of ISO 9001:2015. The Swagelok Company maintains BSI Certificate of Registration Number FM 01729, which applies to all locations listed on the Certificate.

## References

The product catalog does not represent the full scope of registration, but rather details some of the most common options.

 Medium and High-Pressure Fittings, Tubing, Valves and Accessories Catalog MS-02-472, Rev M

# **Attachment A. Swagelok Manufacturing Locations**

This document lists the Swagelok locations where end item or component level manufacturing activities take place.

Swagelok Company	Swagelok Company (Falon 1)
29500 Solon Road	348 Bishop Road
Solon, Ohio 44139	Highland Heights, Ohio 44143
USA	USA
Swagelok Company (Highland)	Swagelok Company (Falon 2)
318 Bishop Road	358 Bishop Road
Highland Heights, Ohio 44143	Highland Heights, Ohio 44143
USA	USA
Swagelok Company (OFC)	Swagelok Company (HPF)
29495 F.A. Lennon Drive	6050 Cochran Road
Solon, Ohio 44139	Solon, Ohio 44139
USA	USA
Swagelok Company (Atlantic)	Swagelok Company (Snow Metal)
26651 Curtiss Wright Parkway	6060 Cochran Road
Willoughby Hills, Ohio 44092	Solon, Ohio 44139
USA	USA
Swagelok Company (Micro) 26653 Curtiss Wright Parkway Willoughby Hills, Ohio 44092 USA	Swagelok Company (Alfred) 29500 Ambina Drive Solon, Ohio 44139
Swagelok Hose Services Company (SHSC)	Swagelok Company (Strongsville)
29900 Solon Industrial Parkway	15400 Foltz Road
Solon, Ohio 44139	Strongsville, Ohio 44119
Swagelok (China) Fluid System Technologies Ltd. Changshu Export Process Zone Changshu Economic Development Zone Changshu, Jiangshu 215513 China	Swagelok Limited Ballafletcher Road Tromode IM4 4RA Isle of Man

